



(only for new nonprovisional applications under 37 CFR 1.53(b))

Taterit and Fladerialk Of	ICE. U.S. DEPARTIVIENT OF COMMERCE
Attorney Docket Number	4483 US
First Named Inventor	Pavlovic
Total Pages in this Submission	72
Express Mail Label No.	EL482472084US

APP	LICATION ELEMENTS		ACCOMPANYIN	IG APPLICATI	ON PARTS
	smittal Form (in duplicate)	6.	= -	Assignment Record	
	Check Enclosed \$345.00	7.		of Priority Documer	it(s)
	ion (21 pages) ement set forth below)		(if foreign prior	,	ဥ ု
	e Title of the Invention	8.		closure Statement of ies of IDS Citation(
	erence(s) to Related Case(s)		cop	les of ibs Citation	o in
	Regarding Fed sponsored R & D nd of the Invention	9.	Preliminary Ame	endment	& c
	mary of the Invention		_ ,		13
■ Brief Desc ■ Detailed D	ription of the Drawing(s) escription	10.	Small Entity Stateme	ent	U
Claim or C	laims	-	New Stat	ement enclosed (1	!
	f the Disclosure i) (when necessary per 35 USC 1	13)	_	t filed in prior appli	/
(44 pages)) (when hecessary per 55 000 T	13)		nd desired	Cation. Status still
4. Oath or Declara		11.	Return Postcar	ď	
	claration (3 pages)	12.			
	Executed	13.	L		
b. Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed)					
i. DELETION OF INVENTOR(S)					
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR					· · · · · · · · · · · · · · · · · · ·
	8(d)(2) and 1.33(b).				
	ion by Reference (useable if Box		ADDRESS	TO:	
checked). The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied				nt Application	
under Box 4b, is considered as being part of the disclosure		disclosure		ioner for Patents	
of the accompanying application and is hereby incorporated by reference therein.			Washingto	on, D.C. 20231	
	G APPLICATION, check appropriat	e box and supply the i	requisite information bel	low and in a preliminal	ry amendment:
Continuatio		tion-in-part (CIP)	of prior application !		
Prior application		RESPONDENCE		p/Art Unit:	
NAME	Laura A. Majerus	RESPONDENCE	ADDRESS		
	Fenwick & West LLP				{
ADDRESS	Two Palo Alto Square	-		<u> </u>	
CITY	Palo Alto	STATE	CA	ZIP CODE	94306
COUNTRY	U.S.A. TEL	EPHONE (650)	858-7152	FAX (650) 494-1417
Name (Print/Type)	Laura A. Majerus		Registration No. (A	ttorney/Agent)	33,417
Signature	Laura May	cies		Date Septe	ember 19, 2000
	!/				

				Patent and	App Tradema	PTO/SB/17 (6-9 proved for use through 11/30/96, OMI ark Office: U.S. DEPARTMENT OF C	3 0651-0032
0002/PT	O(modified) U.S. De	partment of Com	merce			Complete if Known	
Rev. 10/	/95 Paten	t and Trademark	Office	Application Number		To Be Assigned	
				Filing Date		Herewith	
1	FEE TRANS	SMITTAL		First Named Inventor		Pavlovic	
}				Group Art Unit		To Be Assigned	
}	TOTAL AMOUNT	OF PAYMEN	Γ	Examiner Name		To Be Assigned	
Sub	total (1) + Subtotal (2) + Subtotal (3) =	(\$)345.00		Attorney Docket Num	iber	4483 US	
	METHOD OF PAYME	NT		FEE CA	ALCULA	TION (continued)	
1. The C	1. The Commissioner is hereby authorized to: 3. ADDITIONAL FEES						
			Large Entity	Small Entity			
	Charge the indicated fees to the mentioned deposit account.	e below	Fee Code/Fee	Fee Code/Fee	Fee Des	scription	Fee Due
	·		105/ \$130	205/ \$65	Surchar	ge - late filing fee or oath	
	Charge any additional fee requirement of the balance of the balanc	er payments	127/\$50	227/ \$25	Surchar	charge-late provisional filing fee or cover sheet	
to the below mentioned deposit accou		account. 1	147/ \$2,520	147/ \$2,520	For filing	g a request for reexamination	
	Charge the Issue Fee set in 37 Mailing of the Notice of Allowan 37 CFR 1.311(b) to the below m	ce,	115/ \$110	215/ \$55	Extensi	on for response within first month	
deposit account.		iornionog	116/\$380	216/ \$190	Extensi	on for response within second month	
Deposit Account Number: 19-2555 Deposit Account Name: FENWICK & WEST LLP		117/ \$870	217/ \$435	Extension	nsion for response within third month†		
		118/ \$1,360	218/ \$680	Extension	xtension for response within fourth month		
A Duplica	A Duplicate Copy of this authorization is attached		128/ \$1,850	228/ \$925	Extension	on for response within fifth month	
2. 🛛	Payment Enclosed: ☑ Check ☐ Other		119/ \$300	219/ \$150	Notice o	of Appeal	

	arge the indicated entioned deposit a		DW WC	Fee Code/Fee	Fee Code/Fee	Fee Descr	ription		Fee Due
1 _				105/ \$130	205/ \$65	Surcharge	- late filing fee or	oath	
T CF	arge any additiona R 1.16 - 1.21 or c	redit any over pa	ayments	127/ \$50	227/ \$25	Surcharge	-late provisional fi	ling fee or cover sheet	
	to the below mentioned deposit account. T		147/ \$2,520	147/ \$2,520	For filing a	a request for reexamination			
Ma	arge the Issue Fe illing of the Notice	of Allowance,		115/ \$110	215/ \$55	Extension	for response withi	in first month†	
	CFR 1.311(b) to t posit account.	the below mention	oned	116/ \$380	216/ \$190	Extension	for response withi	in second month†	
	ount Number: 19 ount Name: FEN		110	117/ \$870	217/ \$435	Extension	for response withi	in third month†	
	Copy of this author			118/ \$1,360	218/ \$680	Extension	for response withi	in fourth month†	
20.00			acrieu	128/ \$1,850	228/ \$925	Extension	for response withi	n fifth month†	
. ks	ayment Enclos 引 Check □ O			119/ \$300	219/ \$150	Notice of A	Appeal		
1. FILING F				141/ \$1,210	241/ \$60 5	Petition to application	revive unintention	ally abandoned	
Large Entity Fee Code/Fee	Small Entity Fee Code/Fee	Fee Description	Fee Due	142/ \$1,210	242/\$605	Utility Issu	e Fee (Or Reissue	e)	
101/\$690	201/ \$345	Utility Filing	345	143/ \$430	243/ \$215	Design Iss	sue Fee		
106/ \$310	206/ \$155	Design Filing		122/ \$130	122/ \$130	Petitions to	o the Commission	er	
108/ \$690	208/ \$345	Reissue	<u></u>	123/ \$50	123/ \$50	Petitions r	elated to provision	al applications	
114/\$150	214/ \$75	Provisional	<u> </u>	126/ \$240	126/ \$240	Submissio	n of Information D	isclosure Statement	
e i ii	.,	Filing		581/ \$40	581/ \$40		each patent assign each properties)	nment per property	
2. CLAIMS	SUBTOTA	L (1) (\$) 3	345.00	146/ \$690	246/ \$345	Filing a su (37 CFR 1	bmission after fina .129(a))	al rejection	
Large Entity Fee Code/Fee	Small Entity Fee Code/Fee	Fee Descript	tion	149/ \$690	249/ \$345	For each a (37 CFR 1	additional inventior .129(b))	to be examined	
103/ \$18	203/\$9	Claims in exc	cess of 20		Other fee (specify):				<u> </u>
102/\$78	202/ \$39	Independent in excess of			Other fee (specify):				
104/ \$260	204/ \$130	Multiple depe	endent claim				SUE	STOTAL (3) (\$) 0	.00
109/ \$78	209/ \$39	Reissue inde	ependent original patent	(Col. 1) No. of	(Col. 2) Highest		(Col. 3)		Fee
110/ \$18	210/ \$9	Reissue clain of 20 and or patent		For Existing Claims TOTAL INDEP	Previo Paid Fo	<u>-</u>	Extra**	x = x	Due
		patent			minus* 3 or 0 ntation of multiple dependent		<u>.ll.</u>	<u> </u>	
				•	ater number of Col. 2 between Col. 1 and Col.	2 is less tha			0.00
SUBMITTED BY Complete (if applicable)									
! Typed or Print	ed Name L	.aura A. Maje	rus				Reg. Number	33,417	
Signature	1		1				Date	September 19, 20	100

Signature Date September 19, 2000

[†] Request for Extension of Time per 37 CFR 1.136 (d)(3) made hereby Rev. 11/04/99

PTO/SB/11 (6-95) (modified)
Approved for use through 07/31/96 OMB 0651-0031

(3, 54, 64).	a(e) os 1-5 \((1))-	NONPROFIT ORGANIZATION	Docket Number (Optional):
Applicant or Paicnice:	Dusko Pavlovi	c. Douglas Smith and hurbs I	
Application or Patent No.	To Be Assigne	d	
Filing Date or Issue Date:	Herewith		
Title: Method and Appar	aus for Deserror	ung Columis of Hereduary Diagrams	
and the same of the same of the	ial concovered to see	On bright of the socomer and a	
item me it dentitle Settlefill?		Kettel Income	
ADDRESS OF NONPRO	DFTT ORGANIZATI	ON 3260 Hillyres Avenue	
TYPE OF NONPROFIT ORGAI	NIZATION:	Palo Alto, California 94304	
[] UNIVERSITY	OR OTHER INSTI	TUTION OF HIGHER EDUCATION	
[A] INVEXEME	TUNDER INTERN	AL REVENITE SEDVACE CORD ACCTOR OF THE	Leaven.
[] NONPROFIT	SCIENTIFIC OR EL	DUCATIONAL UNDER STATUTE OF STATE OF THE	(C)(3))
(CITATION O	FATE THE)	UNITED STATES OF AMERICA
[] WOULDQU	LIFY AS TAX EX	EMPT UNDER INTERNAL REVENUE SERVICE CODE TES OF AMERICA	(26 U.S.C. 501(a) and 501(c)(3)) IF
l Wouldou	LLIFY AS NONPRO LMERICA IF LOCA CATE	FIT SCIENTIFIC OR EDUCATIONAL UNDER STATUS ATED IN THE UNITED STATES OF AMERICA	TE OF STATE OF THE UNITED
Thereby dealer when	M	tron deretadales	
A salute Destrict art or sal become	nem and Traderrack (anon elemined above qualities as a nonprofit organization ab Office regarding the invention described in:	defined in 37 CFR 1.5(c) for purposes of paying
[] the specialism of [] the specialism of []	i filed herewith with the dentified whove.	the as listed above	
n independent mentor under 37 (9(d) or a nonprofit organization un Each such person, curu [X] no such person, curu	SEANS AS ATEM COMMES FR 1.9(c) of that pers other 37 CFR 1 9(c)	Isw have been conveyed to said remain with the nonprofit on sub-increasive, each individual, consent or organization has and that no rights to the invention are held by any person, of on made the invention, or by any concern which would not our made the invention, or by any concern which would not our range any rights in the invention is listed below.	
I hereby doctors that all us, and turner that these statements after section 1001 of Title 18 of the any patent to which this ventiled at AME OF PERSON SIGNING	SEMETHEN IS THE METER NEED TO WHETE MEDIE WHICH SEMES CO. C., a WETTERN IS DIRECTED. ERSON SIGNING	non or pasent, nonfication of any change in status resulting in or any manner and fee due after the date on which status as an of my own knowledge are mer and usuall statements made anowledge that willful false statements and the like so made and itself willful false statements may reoperative the valid of Cordell Green Director, Kesmel, Inspirite	of Times and Kinger appropriate. (37 CFR
ODRESS OF PERSON SIGNING	-	3360 Hillvian Avenus, Palo Alio, CA 04304	
STATURE	We ~		7/18/00
		· · -	

11128/0448 3/DOCS/10 93465 1

£.3

U.S. PATENT APPLICATION

for

METHOD AND APPARATUS FOR DETERMINING COLIMITS OF HEREDITARY DIAGRAMS

<u>Inventors:</u> Dusko Pavlovic Douglas R. Smith Junbo Liu

Fenwick & West LLP 2 Palo Alto Square Palo Alto, A 94306 650-494-0600

Express Mail Number EL482472084US

METHOD AND APPARATUS FOR DETERMINING COLIMITS OF HEREDITARY DIAGRAMS

5 <u>Inventors</u>:

Dusko Pavlovic

Douglas R. Smith

Junbo Liu

Related Applications:

This application claims priority under 35 U.S.C. § 119(e) to U.S.

Application Serial No. 60/155,271 entitled "Method and Apparatus for Determining Colimits of Hereditary Diagrams" of Pavlovic et al., filed September 19, 1999, which is herein incorporated by reference in its entirety.

15

BACKGROUND OF THE INVENTION

The present invention relates generally to system design and, specifically, to a method and system used to refine stratified design specifications, presented as hereditary diagrams.

20

The design of systems, such as computer systems or engineering systems is a complex process. While it is possible to design systems from scratch using a minimum of design tools, most modern designers use tools to represent and manipulate designs for complex systems.

25 SUMMARY OF THE INVENTION

In the described embodiment of the present invention, a user specifies his design using a specification language. Specification software manipulates the specified design to yield a more detailed system design. Some of these manipulations involve use of a library of specifications.

Specifications are the primary objects in the described specification language. A specification can represent any system or realm of knowledge such as computer programming or circuit design and describes a concept to some degree of detail. To add properties and extend definitions, the described specification software allows the user to create new specifications that import or combine earlier specifications. This process is called refinement. Composition and refinement are the basic techniques of application development in the described specification software. A user composes simpler specifications into more complex ones, and refines more abstract specifications into more concrete ones. Refining a specification creates a more specific case of it.

In the described embodiment, specifications can represent an object or concept. A complex specification can be presented as a diagram of simpler specifications. A software specification is a formal representation of objects or concepts that come about in a software development project. In the described embodiment, a complex specification can be composed and refined as a diagram of simpler specifications; still more involved specifications can be composed as diagrams of such diagrams; and so on. Large specifications are thus subdivided into diagrams of smaller specifications. The process of software design is stratified into such diagrams, diagrams of diagrams and so on. This is what is meant by the expression "hereditary diagrams of specification." A diagram includes:

20

25

5

10

15

- A set of nodes (or vertices)
- A set of arcs (or edges or arrows), and
- Two mappings, assigning two nodes to each arc: its source-node and its target-node.

The nodes of a diagram of specifications are formal specifications, capturing the relevant objects and concepts to be specified, the arcs of a diagram of specifications are the "specification morphisms," capturing the relationships between the nodes: how some specifications inherit or share the structure specified in others. Diagrams thus provide a

20

25

5

graphically based method for software development and refinement, allowing "modular decomposition" and reuse of software specifications.

The described embodiments of the software development tool support:

- Specification refinement: deriving a more concrete specification from a more abstract specification by adding more structural detail
- Code generation: when enough structural detail has been specified to determine concrete programming structures suitable to perform the required task, code in a suitable language is generated.
- Colimit determination

In general, determination of a colimit is a destructive operation, resulting in the loos of information about the involved diagrams. The described embodiments of the invention protect and retain the diagrams by folding them into a node. Since the described embodiment allow for diagrams of diagrams, this protection can occur in a multi-level diagram of diagrams.

Nodes of a diagram show the objects or concepts and arcs between the nodes show relationships (morphisms) between the nodes. Diagrams are used primarily to create sets of objects and to specify their shared parts, so that the individual parts can be combined. Specifications can also be defined to be hereditary diagrams.

The described specification software allows a user to derive a more concrete specification from a more abstract specification. In general, the complexity of a specification is increased by adding more structural detail. The following techniques are preferably used (separately or together) to refine specifications:

-the import operation, which allows a user to include earlier specifications into a later one;

-the translate operation, which allows a user to rename the parts of a specification; and

-the colimit operation, which glues concepts together into a shared union along shared sub-concepts.

20

25

5

Use of diagrams (and hereditary diagrams) allows the user to retain information about a specification during the design process. The described embodiment of the present invention allows a user to define a specification that is a hereditary diagram and to perform the colimit operation on the hereditary diagram.

The described embodiments include specification diagrams and compute colimits in this category. Furthermore, the described embodiments iterate this procedure, yielding the category of hierarchical diagrams, and computes colimits for these hierarchal diagrams.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Fig. 1 is a block diagram of the

Fig. 1 is a block diagram of the overall architecture of an embodiment of the present invention.

Figs. 2(a) and 2(b) are flow charts showing step-wise refinements of a specification.

Figs. 3(a) and 3(b) show a conceptual example of a colimit operation.

Figs. 4(a) and 4(b) show another conceptual example of a colimit operation.

Fig. 5 shows an example of the colimit operation for a specification.

Fig. 6 shows an example of the colimit operation for a hereditary diagram.

Fig. 7 shows another example of the colimit operation for a hereditary diagram.

Figs. 8(a), 8(b), and 8(c) show an example user interface for the colimit operation of a hereditary diagram.

Figs. 9(a)-9(j) show an example of operations initiated by the user to further illustrate the colimit operation for a hereditary diagram

Fig. 10 is a flow chart of a method performed by the exemplary specification software to determine a colimit of a hereditary diagram.

Fig. 11 is a flow chart showing a first part of the method of Fig. 10 to determine a diagram of shape categories.

Figs. 12(a) and 12(b) provide an example of a hereditary diagram.

15

20

25

Fig. 13 provides a more detailed example of the hereditary diagram of Fig. 12.

Fig. 14 provides an example of a diagram of shape categories for the hereditary diagram of Fig. 13.

Figs. 15(a)-15(d) provide a more detailed example of the diagram of Fig. 14.

Fig. 16 is a flow chart showing additional portions of a first part of the method of Fig. 10 to determine a colimit of a diagram of shape categories.

Fig. 17 provides an example of a colimit of a diagram of shape categories.

Figs. 18(a)-18(f) provide a more detailed example of the colimit of Fig. 17.

Fig. 19 is a flow chart showing a second part of the method of Fig. 10 to extend a diagram in the hereditary diagram in accordance with the colimit of the shape diagram.

Fig. 20 provides examples of extended diagrams.

Figs. 21(a)-21(f) provide a more detailed example of an extended diagram.

Fig. 22 is a flow chart showing a third part of the method of Fig. 10.

Fig. 23 provides an example of a taking a colimit of extended diagrams.

Figs. 24-26 provide a more detailed example of taking a colimit of extended diagrams to yield a colimit of the original hereditary diagram.

Fig. 27 shows example data structures used in a preferred embodiment.

Fig. 28 shows example data structures used in a preferred embodiment.

Fig. 29 is a diagram showing a conceptual view of a set of arcs and a set of nodes, with a target mapping and a source mapping between them.

DETAILED DESCRIPTION

General Discussion

The described embodiment provides a software tool for building, manipulating, and reusing a collection of related specifications. The tool allows a user to describe concepts in a formal language with rules of deduction. It includes a database (library) that stores and manipulates collections of concepts, facts, and relationships. The present invention can be used to produce more highly refined specifications until a concrete

10

15

20

level of abstraction is reached. For example, a specification can be refined until it reaches the computer source code level. As another example, a specification can be refined until it reaches the circuit level.

Referring now to Fig. 1, there is shown a block diagram of the overall architecture of an embodiment of the present invention. Fig. 1 includes a data processing system 100 including a processor 102 and a memory 104. Memory 104 includes specification software 110, which implements the refinement methods defined herein. Specification software 110 preferably implements a graphical user interface (GUI) that allows a user to define specifications and morphisms and that allows a user to indicate refinements to be performed on the specifications. Specification software 110 includes or accesses a database 112 that includes definitions of specifications and diagrams. The specification being refined is stored in memory 114. The refinement operations indicated by the user can result in computer code 116 if the user chooses to perform refinements to the computer code level.

Figs. 2(a) and 2(b) are flow charts showing step-wise refinements of a specification during an exemplary design process. In element 202 of Fig. 2(a), the user is allowed to define/enter software specifications, diagrams, and hereditary diagrams (also called a "hierarchical diagram" or a "diagrams of diagrams"). Specifications are the primary objects defined by a user. In the described embodiment, specifications can represent a simple object or concept. A specification can also be a diagram, which is a collection of related objects or concepts. As shown in Figure 29, nodes of a diagram show the objects or concepts and arcs between the nodes show relationships (morphisms) between the nodes. Diagrams are used primarily to create sets of objects and to specify their shared parts, so that the individual parts can be combined.

25 Specifications can also be defined to be hereditary diagrams, where at least one object in a node of the diagram is another diagram.

Specifications can be defined in any appropriate specification language, such as the SLANG language defined by the Kestrel Institute of Palo Alto, CA. SLANG is

10

15

20

25

defined in the SLANG Users Manual, available from the Kestrel Institute of Palo Alto, CA. The Slang Users Manual is herein incorporated by reference. A specification can represent any system or realm of knowledge such as computer programming or circuit design and describes a concept to some degree of detail.

In element 204, the user is allowed to start refining his specifications, diagrams, and hereditary diagrams. To add properties and extend definitions, the described specification software allows the user to create new specifications that import or combine earlier specifications. This process is called refinement. Composition and refinement are the basic techniques of application in the described specification software. A user composes simpler specifications into more complex ones, and refines more abstract specifications into more concrete ones. Refining a specification creates a more specific case of it.

The described specification software allows a user to derive a more concrete specification from a more abstract specification. In general, the complexity of a specification is increased by adding more structural detail. The following techniques, among others, are preferably used (separately or together) to refine specifications:

-the import operation, which allows a user to include earlier specifications into a later one;

-the translate operation, which allows a user to rename the parts of a specification; and

-the colimit operation, which glues concepts together into a shared union along shared sub-concepts.

Fig. 2(b) is a flow chart of a method for refining a specification. The user indicates a refinement operation, which is then performed by specification software 110. Fig. 2(b) shows three examples of refinement operations. It will be understood that other refinements are possible. In element 216, the user indicates that a spec or diagram is to be imported. In element 218, the user indicates finding a colimit of a hereditary diagram. In element 220, the user indicates a translation of a spec or diagram.

In element 206 of Fig. 2(a), the user refines his specification to a level of generating computer code. A user may choose not to refine a specification to this level. The refinement process can be used for purposes other than generating computer source code. For example, the refinement process can be used to help understand a specification. As another example, the refinement process can be used to help verify the consistency of a specification.

The Colimit Operation

5

10

15

20

Figs. 3(a) and 3(b) show a conceptual example of a colimit operation. A colimit is also called "composition" or a "shared union." A "pushout" is a colimit in which a colimit is taken of a parent node and its two children nodes. It will be understood that the examples of Figs. 3 and 4 are somewhat simplified and are provided to aid in understanding of the colimit operation. In Fig. 3, the user has defined a spec "car" 302. This specification 302 has been refined by the user as red car 304 and fast car 306.

Thus, the arcs from node 302 to 304 and 302 to 306 are labeled with an "i" (for instantiation/import). In Fig. 3(a), the "defining diagram" shows only the spec/morphism diagram from which the colimit is formed. Fig. 3(b) shows a "cocone diagram," which also shows the colimit and the cocone morphisms (labeled "c").

In the described embodiment, the GUI labels arcs as follows, although any appropriate labeling and morphisms could be used (or none).

- i: instantiation morphism
- d: definitional translation
- t: transitional morphsim
- c: cocone morphism
- id: identity morphism

The defining diagram for a colimit is not limited to a three node diagram. A colimit can be taken of any diagram. An example of a different diagram shape is shown in Fig. 3(b). In the colimit operation, any type of node related by morphisms in the

10

15

20

25

diagrams are mapped to the same type of node in the colimit. Conversely, any unrelated types are mapped to different types in the colimit. The same is true of operations.

When you compose specifications, types or operations that have the same names in different component specifications might be mapped to different result operations.

For example, suppose spec A and spec B are combined to form spec C. Both A and B have operations named concat, but the operations do not work the same way, and need to be differentiated in spec C. In this case, specification software 110 generates unambiguous names in the colimit. Similarly, types and operations that have different names in the component specifications can be mapped to a single element in the colimit. For example, the operation concat in spec A and add in spec B might both be mapped to a single concatenation operation in the colimit spec C. In this case, the resulting element preferably has both names.

Fig. 5 shows a more realistic example of the colimit operation for a specification. In this example, a virtual memory (VM) is a parameter of the operating system (OS). Suppose we want to formally specify a simple operating system (OS). There are large fragments of the theory that can be abstracted away. In other words, the structure of the system does not depend on a particular virtual memory (VM) implementation. Thus, the formal VM requirements can be taken as a parameter of the formal OS specification. Similarly, a particular VM system, VM_0, can be a parametric in paging policies (PP). Thus, the parameter VM can be instantiated to another parametric specification VM 0.

In this way, a complex system naturally decomposes into simpler components that can be refined independently. When all components are implemented, an implementation of the whole can be automatically generated: an operating system with a particular virtual memory management and with a particular paging policy.

Use of diagrams (specifically, hereditary diagrams) allows the user to retain information about a specification during the design process. Taking the colimit of simple specifications can destroy the structure of the spec. The described embodiment

10

15

20

25

of the present invention allows a user to define a specification that is a hereditary diagram and to perform the colimit operation on the hereditary diagram. This carrying information in a diagram brings the colimit operation into lazy mode. Fig. 6 shows an example of the colimit operation for a hereditary diagram. Various intermediary choices can be made by the user as to how to define a diagram. For example, one may wish to instantiate the virtual memory parameter VM to VM_0, but to keep the page-in policy parameter PP open. The pspec VM_0 can then be protected as a diagram 650. The colimit operation can then be applied in the category of diagrams, rather than specs. Note that Fig. 6 shows an example of a hereditary diagram in which at least one node is a diagram.

The parameter VM to be instantiated for, lifts to a trivial diagram as well as the spec OS. The colimit of the resulting diagram yields the spec OS parametric over PP as a diagram.

Fig. 7 shows another example of the colimit operation for a hereditary diagram. Implementation details of colimits of hereditary diagrams are discussed below in connection with Figs. 10-27. Shape changes of even simple diagrams quickly become too complex for human beings to solve intuitively. An automated method is needed, such as that shown in detail herein.

Figs. 8(a), 8(b), and 8(c) show an example graphical user interface (GUI) for the colimit operation of a hereditary diagram. The display of Figs. 8 and 9 preferably are generated by specification software 110. In Fig. 8(a), the user has defined a hereditary diagram. An initial (parent) spec is named Bag-Diagram. Fig. 9(c) shows details of Bag-Diagram. (The user may or may not choose to display the detail of the diagram Bag-Diagram and may instead display only the name of the diagram as shown in Fig. 8(a)). In this example, the user has refined the parent spec twice, to yield: Bag-as-Seq-Dg and Bag-Seq-over-Linear-Order. Figs. 9(d) and 9(e) show details of these diagrams. (The user may or may not choose to display the detail of the diagrams and may instead display only the names of the diagrams as shown in Fig. 8(a)).

10

15

20

25

In Fig. 8(b), the user has selected the diagram having Bag-Diagram as its parent node and has indicated that he wishes to refine the hereditary diagram spec via the colimit operation. Although the disclosed interface uses a drop-down menu to allow the user to indicate the colimit operation, any appropriate interface can be used. In Fig. 8(c), the colimit is named Diagram-5. Fig. 9(j) shows details of this diagram. (The user may or may not choose to display the detail of the diagram and may instead display only the name of the colimit diagram as shown in Fig. 8(c)).

Figs. 9(a)-9(j) show an example of operations initiated by the user to further illustrate the colimit operation for a hereditary diagram. Fig. 9(a) shows an initial hereditary diagram. Fig. 9(b) shows an example of the result of the colimit operation indicated by the user. Fig. 9(c) shows an expansion of the Bag-Diagram requested by the user. Fig. 9(d) shows an expansion of the Bag-as-Sequence-Diagram requested by the user. Fig. 9(e) shows an expansion of the Bag-Seq-over-Linear-Order-Diagram requested by the user.

Figs. 9(f)-9(i) show details of determination of the colimit of the hereditary diagram of Fig. 9(a). Fig. 9(f) shows a shape of the shape colimit, which is the shape that the colimit will eventually have. Fig. 9(g) shows an extension of the Bag-Diagram in accordance with the shape of the colimit. Fig. 9(h) shows an extension of the Bag-as-Sequence-Diagram in accordance with the shape of the colimit. Fig. 9(i) shows an extension of the Bag-Seq-over-Linear-Order-Diagram in accordance with the shape of the colimit. Fig. 9(j) shows an expanded version of Diagram-5, which is the colimit of the hereditary diagram. Note that the colimit has the shape of the diagram of Fig. 9(f).

A Preferred Implementation of the Colimit Operation for Hereditary Diagrams

Fig. 10 is a flow chart of a method preferably performed by the specification software 110 to determine a colimit of a hereditary diagram. In element 1002, the user indicates that he wants to take the colimit of a hereditary diagram. An example of a GUI to accomplish this indication is shown in Fig. 8(b). When software 110 receives such an

10

15

20

25

indication from the user, software 110 preferably performs the remaining elements of Fig. 10. In element 1004, software 110 extracts the shapes of the nodes and functors of the hereditary diagram to yield a diagram of shape categories. Details of this element are shown in Fig. 11. Once a diagram of shape categories has been determined, software 110 determines, in element 1004, a colimit of the diagram of shape categories, as discussed below in connection with Fig. 16.

Software 110 then in element 1006 determines an extension of each diagram in the hereditary diagram in accordance with the shape colimit, as is discussed below in connection with Fig. 19. Extending each diagram in the hereditary diagram brings all diagrams in the hereditary diagram to the same shape, so that it is possible to take the pointwise colimit of the extended diagram. Then software 110 in element 1008 determines the colimit of the hereditary diagram using the extended diagrams, as discussed below in connection with Fig. 22. Once the colimit is determined, it can be stored in memory, saved, or displayed, as the user decides.

The following discussion of a preferred software program uses certain abstract concepts, which are presented in Table 1, which forms a part of this specification.

I. Determining a Shape Colimit

Fig. 11 is a flow chart showing a first part of the method of Fig. 10 to determine a diagram of shape categories. The elements of Fig. 11 are performed for each diagram in the hereditary diagram.

First, hereditary diagrams will be discussed. Fig. 12(a) shows a high-level example of a hereditary diagram having three nodes d1, d2, d3 (each of which is a diagram) and two arcs a1 and a2 (also called "arrows" or "edges). Each of arcs a1 and a2 represents a shape morphism between a pair of diagrams in the hereditary diagram. Fig. 12(b) shows a representation of a shape morphism from d1 to d2, where F is a shape functor and e is a natural transformation from d1 to (d2 composed with F). D1 and D2 are shape categories of respective diagrams d1 and d2 and SPEC is the category SPEC.

10

15

20

25

In the described embodiment, the user must specify shape morphisms between diagrams when the diagrams are created. Alternative embodiments determine this mapping heuristically by, for example, counting the number of arcs in and out of nodes or by looking at the type of the nodes.

Fig. 13 provides a more detailed example of the hereditary diagram of Fig. 12. Here, d1 is defined as having three nodes (i, ii, and iii) and two arcs (B and C). Diagram d2 is defined as having five nodes (0, 1, 2, 3, and 4) and four arcs (a, b, c, and d). Diagram d3 is defined as having two nodes (IV and V) and two arcs (A and B).

As shown in element 104 of Fig. 10, software 110 determines diagrams of shape categories. Fig. 14 provides an example of a diagram of shape categories for the hereditary diagram of Fig. 13. Diagrams D1, D2, and D3 represent the respective shapes of d1, d2, and d3. Functions F_e and F_n provide a mapping between the arcs (edges) and nodes of each pair of shape diagrams.

Figs. 15(a)-15(d) provide a more detailed example of the diagram of Fig. 14. Mapping F1 between D1 and D2 is shown in Fig. 15(b). Mapping between D1 and D3 is shown in Fig. 15(c). Source nodes and targets nodes for arcs of the hereditary diagram are shown in Fig. 15(d).

Fig. 16 is a flow chart showing additional portions of a first part of the method of Fig. 10 to determine a colimit of a diagram of shape categories. A first element computes a colimit of the sets of nodes in the hereditary diagram. To do this, the software performs the following: Store in memory a disjoint union of all nodes (ignore arcs). Determine the equivalence relations identifying those nodes that are connected by some arc of the hereditary diagram. All nodes of the diagrams that fall in the same equivalence class are identified as a single node in the colimit. A similar element is performed to determine the colimit of the arcs. The software then considers the relationships between the equivalence classes of arcs and of nodes. For each arc in the colimit, the universal property (of the sets of arcs) determines a source node and a target node in the colimit.

10

15

20

Fig. 17 provides an example of a colimit D4 of a diagram of shape categories. As can be seen, several of the nodes of the colimit are created by combining nodes in the diagrams. Figs. 18(a)-18(f) provide a more detailed example of the colimit of Fig. 17. The combined nodes have been determined to belong to the same equivalence class. For example, nodes 0 or 4 of diagram D3 do not map to any nodes of D1 or D3. Thus, these nodes are not grouped. Arcs b, B, A and arcs c, C, B are grouped, as are nodes 1,3, i, iii, IV 2, ii, V. As shown in Fig. 13, the grouped nodes and arcs belong to the same equivalence classes.

Figs. 18(d)-18(f) show details of the mappings F3, F4, and F5 between the arcs and nodes or the diagrams in the hereditary diagram and D4.

II. Extending the Diagrams in Accordance with the Shape Colimit

In the previous section, we showed how to compute the shape of the colimit diagram. In this step we describe the method for computing the extension of a diagram along a shape morphism. The following paragraphs provide a short overview.

Let m:S -> A be a diagram and let T be the shape of the desired diagram, where f:S->T is a shape morphism. The Extension method computes a diagram E(m,f):T -> A and a natural transformations eps: m -> f;n, with the universal property that for any k:T->A and natural transformation alph:m-> f;k, there is a unique natural transformation sig:n->k such that alph factors through eps: alph = eps;(sig f) where ";" is used for vertical composition of natural transformations.

The method for computing the extension of diagram m along shape morphism f, denoted E(m,f), is.

25 (1) For each node t in T, we form its image under E(m,f) as follows: form the shape f/t whose nodes are

 ${<s, i> | i: f(s) -> t \text{ is a path in T}}$

and whose arcs are

 $\{e \mid e:s->s' \text{ in S and } f(e):f(s) -> f(s') \text{ in B and } <s,i> \text{ and } <s',i'> \text{ are nodes}\}.$ E(m,f)(t) is the (spec) colimit of the image of f/t under m.

(2) for each arc h:y->z in T, E(m,f)(h) is a unique morphism that
witnesses the universality of the construction of E(m,f)(y). That is, h induces a functor from f/y to f/z and thus a diagram morphism dm: m(f/y) -> m(f/z). The composition of dm with the cocone morphisms from m(f/z) to E(m,f)(z) forms a cocone on m(f/y), so E(m,f)(h) is the unique arrow from E(m,f)(y) to E(m,f)(z) that factors the cocone
arrows.

We have the following property of E:

Theorem: When T is acyclic, then colimit(m) is isomorphic to colimit(E(m,f)).

This theorem asserts that we are neither gaining nor losing information in computing the extension of a diagram along a shape morphism. We are simply changing its shape.

20

25

15

The colimit of diagrams enables the automated application of design theories to requirement specifications. Knowledge about various kinds of software design knowledge (such as algorithm design principles, datatype refinements, software architectures, and program optimization techniques), and other forms of design knowledge, may be represented by refinement morphisms from a diagram of the general abstract structure A required for applicability of the design knowledge, and an abstract specification diagram of a design artifact B. Such a

10

15

20

25

refinement morphism m:A->B is applied to a requirement diagram R by first constructing a "classification" morphism c:A->R, and then computing the (diagram) colimit R'. The cocone morphism cm:R->R' is a refinement of R that embodies the design knowledge in m.

Fig. 19 is a flow chart showing a second part of the method of Fig. 10 to extend a diagram in the hereditary diagram in accordance with the colimit of the shape diagram. The elements of Fig. 19 are performed for each diagram in the hereditary diagram so that each diagram yields an extended diagram. To extend one diagram, the following acts are performed. For each node in colimit D4, determine a node in the extended diagram. Thus, the extended diagram will have the same number of nodes as the shape colimit D4. The following are performed for each node n in D4: Find the nodes s in the shape diagram (for example D1) that have a path i to the node n. This yields a set of pairs of nodes s and paths i: {<s,i>, where I is a path from F(s) to node n in D4). F(s) is the node in D4 that corresponds to node(s) in D1.

For each two pairs in the set (for example, for $<s_i$, i> and $<s_j$, j>, find a path e between nodes si and sj. Because s_i and s_j have been determined to point to the same node, such a path must exist. Once each path e has been found between each pair in the set, make a graph of all the <s, i> pairs and take the colimit of the graph. This colimit forms one node in the extended diagram. Each arc in the extended diagram is uniquely defined and determined using the universality of the colimits for the nodes in the extended diagram.

Fig. 20 provides examples of three extended diagrams. The notation, for example, Lf5d1 represents the extension of diagram D1.

Figs. 21(a)-21(f) provide a more detailed example of an extended diagram. Fig. 21(a) shows details of D1 and D4 and of the mapping F5, the mapping Lf5d1 and of the mapping between D1 and the extended diagram. The other extended diagrams are determined similarly. Fig. 21(b) shows an example of finding the nodes of the extended diagram. In Fig. 21(b), the method of Fig. 19 is performed for each node in D4, yielding

10

15

20

a colimit that is the extension of the diagram D1. Fig. 21(c) shows an example of determining the arcs of the extension for two of the arcs of D4. In the example, arcs d and (CcB) are similar, due to the example chosen.

Fig. 21(d) shows examples of specs/nodes and arcs that have been predefined by the user. These specs are used is the mapping between D1 and SPEC in Fig. 21(a). Similarly, the arcs are the arcs used in the same mapping.

Figs. 21(e) and 21(f) are examples of using the specs of Fig. 21(d) to compose several specs that will form the nodes of the extended diagram. Note that in Fig. 12(a), the nodes and arcs of the extension are defined as mapping Lf5d1. Fig. 21(e) implements the compositions of this mapping.

III. Determining a Pointwise Colimit of the Extended Diagrams

Fig. 22 is a flow chart showing a beginning of a third part of the method of Fig. 10.

Fig. 23 provides an example of the extended diagrams 2300, 2302, 2304, which will be used to determine the colimit of the extended diagrams.

Figs. 24-26 provide a more detailed example of taking a pointwise colimit of extended diagrams to yield a colimit of the original hereditary diagram.

Fig. 27 shows example data structures used in a preferred embodiment. Fig. 28 shows a conceptual representation of object-oriented data structures. As can be seen from the diagram, a hereditary diagram 2802 includes a plurality of objects, at least one of which 2804 is itself a diagram 2806. The details of diagram 2806 are not shown for the sake of clarity. Of course, diagram 2806 could also be a hereditary diagram. It will be understood that, although the present implementation uses an object oriented programming language, any appropriate implementation method can be used.

25 From the above description, it will be apparent that the invention disclosed herein provides a novel and advantageous system and method of determining colimits of hereditary diagrams.

What is Claimed is:

1	1. A computer-implemented method of automated software specification,
2	comprising:
3	storing specification modules, with their relations displayed on a
4	computer screen in terms of their specification morphisms, where the specification
5	morphisms translate the specification signatures while preserving the logical structure of
6	the specification;
7	determining and displaying, in response to a user command, multiple
8	specification diagrams, each of which captures the relation between two or more
9	specification modules, along with its specification morphisms;
10	building and displaying, in response to a user command, a diagram of the
11	specification diagrams, the diagram of specification diagrams retaining the diagram
12	morphisms of the specification diagrams; and
13	computing the colimits of the hereditary diagram of diagrams to
14	compose large software modules while preserving the decomposition of the involved
15	components.
16	2. A computer-implemented method for determining a colimit of a hereditary
17	diagram, comprising:
18	extracting the shape colimit of the hereditary diagram stored in a
19	memory, the hereditary diagram including a plurality of diagrams;
20	bringing each of the plurality of diagrams in the hereditary diagram to
21	the shape of the shape colimit to yield a plurality of extended diagrams in the memory;
22	and

23	taking the colimit of the extended diagrams.
24	
25	3. The method of claim 2, further comprising: receiving from the user an
26	indication to find the colimit of the hereditary diagram.
27	
28	4. The method of claim 2, wherein extracting the shape colimit of the hereditary
29	diagram includes:
30	determining the shape of each of the plurality of diagrams to yield a
31	shape graph in the memory; and
32	automatically calculating a colimit of the shape diagram.
33	
34	5. The method of claim 2, further comprising: displaying a representation of the
35	colimit on a display device.
36	
37	6. The method of claim 5, wherein the representation o the colimit is the name of
38	the colimit.
39	
40	7. The method of claim 5, wherein the representation of the colimit is a picture
41	of the diagram of the colimit.
42	
43	8. The method of claim 2, wherein the hereditary diagram includes types of the
44	diagram elements.
45	
46	9. The method of claim 2, wherein the hereditary diagram includes morphisms
47	between the diagram elements.
48	
49	10. The method of claim 2, wherein the hereditary diagram is displayed with
50	indicators on its arcs indicating what morphism is associated with the arcs.


51	
52	11. The method of claim 2, wherein the colimit of the hereditary diagram is
53	displayed with indicators on its arcs indicating that that arcs constitute a cocone colimit.
54	
55	12. A computer-implemented system of automated software specification,
56	comprising:
57	specification modules stored as separate entities, with their relations
58	displayed on a computer screen in terms of their specification morphisms, where the
59	specification morphisms translate the specification signatures while preserving the
60	logical structure of the specification;
61	a portion that determines and displays, in response to a user command,
62	multiple specification diagrams, each of which captures the relation between two or
63	more specification modules, along with its specification morphisms;
64	a portion that builds and displays, in response to a user command, a
65	diagram of the specification diagrams, the diagram of specification diagrams retaining
66	the diagram morphisms of the specification diagrams; and
67	a portion that computes the colimits of the hereditary diagram of
68	diagrams to compose large software modules while preserving the decomposition of the
69	involved components.


METHOD AND APPARATUS FOR DETERMINING COLIMITS


OF HEREDITARY DIAGRAMS

ABSTRACT OF THE DISCLOSURE


A computer-implemented method and system for determining colimits of hereditary diagrams. A user specifies a diagram of diagram and specifies performance of a colimit operation. Once the colimit is performed, the name of the colimit is added to the hereditary diagram. The described embodiment supports diagrams of diagrams, also called hierarchical diagrams.









Spec Software




Example of Using a Colimit to Combine Refined Specifications Fig. 3(b)







Example Colimit of Specifications Fig. 5




Example Colimit of Diagrams of Diagrams
Fig. 6



Example of Taking the Colimit of Hereditary Diagrams Fig. 7




Example user interface showing a hereditary diagram
Fig. 8(a)





Example user interface showing a hereditary diagram (interface for user to indicate "find colimit" operation)

Fig. 8(b)

Example user interface showing a hereditary diagram after the user indicates a "find colimit" operation for the hereditary diagram and the colimit operation is performed Fig. 8(c)








Hereditarydiagram, including collimit
Fig a(b)




Bag diagram
(obtained by expanding node
Bag-Diagram
in Hereditary diagram
Fig 4(c)




Bag-as-Sequence diagram (obtained by expanding node Bag-as-Sequence-diagram in Haredibary diagram)


Fig 9(d)




Bag-Seq-over-Linear-Order diagram (obtained by expanding node Bag-Seq-over-Linear-Order-diagram in Herediary diagram)


Fig 9(4)









Extended Bag-as-Sequence diagram $F_{ig} = q(h)$




Extended Bag-Seq-over-Linear-Order diagram F_{ig}



Colimit of Hureditury diagrams
(final result)
Fig 9(j)




Finding a Colimit of Hereditary Diagrams
Fig. 10



PART I: Extract the shapes and shape functors to yield a diagram of shape categories categories

The state of the s




 \odot

<u>d</u>2


A Hereditary Diagram: Three Diagrams and Two Arcs.


shape functor (such as F) and 2) Each arc a1 and a2 represents a a natural shape transformation shape morphism having 1) a (such as e: d1 --> d2) Fig. 12(a)






A Shape Morphism





Extract the
Shapes and
Shape Functors
(D1 is shape of
diagram d1, F1 is
shape functor)
Fig. 14



More Detailed View of Extracting the Shapes and Shape Functors (continued on Figs. 15(b)-15(d))

Fig. 15(a)

Arcs: B -> b C -> c Nodes: Mapping for F1 Fig. 15(b) ii->1 ii->2 Source Target Aਨ œ C =: ≡ _ മ 0 2 _ σ

> Arcs: B -> A C -> B Nodes: i-

Mapping for F2 Fig. 15(c)

Source (S)
and Target
(T)
Functions
for
Hereditary
Diagrams
Fig. 15(d)

ယ

ယ

7

ဂ

۵

A

2


<

of the hereditary diagram. All nodes of the diagrams that fall in the relations identifying those nodes that are connected by some arc same equivalence class are identified as a single node in the Compute colimit of sets of nodes: Store in memory a disjoint union of all nodes (ignore arcs). Determine the equivalence colimit


Compute colimit of sets of arcs: Store in memory a disjoint union hereditary diagram. All arcs of the diagrams that fall in the same of all arcs (ignore nodes). Determine the equivalence relations equivalence class are identified as a single arc in the colimit identifying those arcs that are connected by some arc of the

Consider the relationship between the equivalence classes of arcs the colimit (of the sets of arcs) determines a source node (S) and and nodes. For each arc in the colimit, the universal property of a target node (T)

PART I: Determine the colimit of the diagram of shape categories. Fig. 16



More Detailed View of Taking the Colimit Fig. 17




More Detailed View of Taking the Colimit (See Figs 18(b)-(f))

Fig. 18(a)

Target	Source	Arc
0	1,3 i,iii ∨	Ø
4	1,3 i,iii ∨	<u>σ</u>
< ≕ №	1,3 	APG
< ≕ ∾	7,3 ₹	В С

Shape Colimit D4 Source (S) and Target (T)
Functions for Fig. 18(b)



The Colimit D4 of the Shape Diagrams Fig. 18(c)

Arcs: a -> a d -> d b -> b,B,A c -> c,C,B

Nodes:

0 -> 0

1 -> 1,3, i,iii, IV 2 -> 2, ii,V 3 -> 1,3, i,iii, IV 4 -> 4

Mapping for F3 Fig. 18(d)

Arcs: A -> b,B,A B -> c,C,B

Nodes:

IV -> 1,3, i, iii, IV V -> 2, ii,V


Mapping for F4 Fig. 18(e)

> Nodes: Arcs: B -> b,B,A C -> c,C,B

i -> 1,3, i, iii, IV ii -> 2, ii,V iii -> 1,3, i, iii, IV


Mapping for F5 Fig. 18(f)

Extension for Diagram d1:




Example of Taking the Extension of Each Node of the Hereditary Diagram
Fig 20

Extension for Diagram d2:



Extension for Diagram d3:








Fig 21(b) Example of Finsion Node F Note O { (i, d> <iii, a> (i, 18A) <ii; d> (ii, Cos) gring giring garin garin garin sagh single giring g a: f(c)= Ω.. d: (20)= (12) F(10) =/ の記し < è, a> <1: (a> --



•


365 5-A= Ħ 1] spec sp: Spec Spii is axiom finf is Spec 32:11 12 of f: 5, -> boulean op f: S, > buslean (sv) 15 thes of Si. Si -> boolen $f_i(x) \Rightarrow f_i(x)$ g = 52 -> box lea Sp; 0 5-13 Base diagram 3)




After finishing the


extension for each diagrams, let us use the following example:

Original diagrams:



Its underlying shape categories, shape functors and the colimit are:






The last algorithm step we are missing for constructing the diagram colimits is the diagram morphims between extended diagrams. For example, the diagram morphism d124 and d134 (dotted lined arrows in above figure) are the ones needed.

Suppose Ifd14 and Ifd24 are two extensions of d1 and d2, given the colimit of the shape categories as D4. We would have the following picture

Fig, 23





A morphism between lfd14 and lfd24 is a natural transtormath which maps the universal construction witness arrow. each node of D4 to an arrow in SPEC. We do th

for ni in its extension of d1 and d2, respectively, then we can have a shape function between Sp1ni and Sp2ni (inclusion, basically). That induces a diagram morphism between the base diagrams for the target of ni in lfd14 and lfd24, respectively. Ey imposing that diagram morphism and cocone morphism, we can get an unique arrow between lfd14(ni) and lfd24(ni). Repeat/this process we For any node ni in D4, we have F14(ni) = F12 o F24(ni). Let Sp1ni and Sp2ni a natural from formation between lfd14 and lfd24. Similarly, we can do this for any two extended diagrams. two shape categories used for constructing mapping


The following flowchart

is the algorithm for constructing a diagram morphism between two extended diagrams.





by computing the pointwise colimits over corresponding nodes in the extended diagrams. The The final step is to complete the colimit of the extended diagrams. The colimit is determined morphisms are computed uniquely using universality of the pointwise colimits.



the same shape) Taking Pointwise diagrams are all since extended (Can be done, Diagrams Colimit of Extended Fig. 26

Examples of Data Structures used in the Example Implementation Fig. 27




Fig. 28




Fig. 29

PTO/SB/01 (6–95) (modified)
Approved for use through 10/31/96 OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

0010/PTO Rev. 6/95	U.S. Department Patent and Trade		Attorney Docket	Number	4483 US				
			First Named Invo						
DECLAR	ATION FO	OR		COM	PLETE IF KN	IOWN	Min.		
UTILITY PATENT A			Application Nun	nber	To Be Assi	signed			
			Filing Date						
			Group Art Unit		To Be Assi	gned			
[X] Declaration Submitted with Initial Filing	Sı	eclaration ibmitted after itial Filing	Examiner Name		To Be Assi	gned			
As a below named inventor, I h My residence, post office addre I believe I am the original, first plural names are listed below) METHOD	ess, and citizensh and sole invento of the subject ma	nip are as stated bel or (if only one name atter which is claim	e is listed below) or	an original, fi	nt on the inven	tion entitled:			
the specification of which		(Title of the 1	nvention)						
[X] is attached hereto OR									
[] was filed on (MM/DD/Y	YYY) [] 8	as United States Ap	plication Num	ber or PCT Int	ternational			
Application Number [/DD/YYYY) [] (if applic	•			
I hereby state that I have review amended by any amendment sp			the above identified	specification,	including the	claims, as			
I acknowledge the duty to disci Regulations. § 1.56.	ose information	which is material to	o patentability as de	efined in Title	37 Code of Fe	deral			
I hereby claim foreign priority for patent or inventor's certific States of America, listed below or of any PCT international ap	ate, or § 365 (a) ate, and have also is	of any PCT interna dentified below, by	tional application v checking the box,	vhich designate any foreign ap	ed at least one plication for p	country other th			
			ign Filing Date	Prio	· 1	Certified Copy Attached?			
Number(s)		(M)	M/DD/YYYY)	Not Cl		YES			
				[[_	[]	[]		
				Ì	1	[]	[]		
				I]	[]	[]		
r > 4.11/2 1.0 1	1	1: 1		[]	[]	[]		
[] Additional foreign app	ication number	rs are listed on a	supplemental pric	ority sheet att	ached hereto	•			
I hereby claim the benefit un	der Title 35, Un	ited States Code §	119(e) of any Un	ited States pr	ovisional app	lication(s) listed	i below.		
Application Numbe	r(s)	Filing Date	(MM/DD/YYYY)		[] Additional provisional				
60/155,271			09/19/99		application numbers are listed on a supplemental sheet attached hereto.				
				<u> </u>	Shoot a		 		

DECL		Page 2									
I hereby claim the benefit unde international application design claims of this application is not the first paragraph of Title 35, l patentability as defined in Title prior application and the nation	ating the United disclosed in the United States Co 37, Code of Fed	I States of An e prior United ode § 112, I ad deral Regulati	nerica, li States o cknowle ions § 1.	isted below or PCT into edge the du .56 which	v and, insernational orty to discounter and the second in	ofar as th applicationse and applications and applications and applications and applications are supplied as the supplications are supplied as the supplied as	ie sul ion ii rmat	bject matter n the manne tion which is	of each of or provided of material t	the by to	
U.S. Parent Application	PCT P			Parent Fili]	Parent Paten			
Number	Num	ber	((MM/DD/	YYYY)			(if appli	cable)		
				1	1	ntol mais		hoot attach	1 harata		
[] Additional U.S. or PCT in											
As a named inventor, I hereby business in the Patent and Trad	appoint the follo	nnected there	ewith:	or agent(s			app	lication and			
Name		Registrati	1		Ŋ	Vame			Regist Num		
		Number	-						Nuii		
Greg T. Sueoka Laura A. Majeru Michelle K. Lee Tina M. Lessani [] Additional attorney(s) an Please direct all correspondence to	is i i d/or agent(s) na	Lau Fenwi	plementa		tached her	reto.					
			Alto, CA	94306							
m 1		46-W	U.S.A		. 1650) AQA 14	17				
Telephone (650) 858-7152 Fax (650) 494-1417											
I hereby declare that all stateme are believed to be true; and furth made are punishable by fine or false statements may jeopardize	ner that these stat imprisonment, or	tements were in both, under Some application	made wit Section 10 or any pa	th the knov 001 of Titl atent issue	vledge tha e 18 of the d thereon.	t willful f e United S	false : States	statements are s Code and the	nd the like	SO	
Name of Sole or First In		[] A p	etition h	as been fil	ed for thi	s unsigne	ed in	ventor			
Given Dusko	Middle		amily	Pavlovic				Suffix			
Name Dusko		Initial	1	Vame	_ ,	 	·		e.g. Jr.	<u> </u>	
Inventor's Signature		·······		1		Date					
Residence: City Palo Alto		State	CA	Country	USA	**************************************		Citizenship	Neth	erlands	
Mailing Address 1036 Co	olorado Avenu	e						-//			
Mailing Address											

CA

State

[] Additional inventors are being named on supplemental sheet(s) attached hereto

Zip 94303

USA

Country

City

Palo Alto

DECLARATION							ADDITIONAL INVENTOR(S) Supplemental Sheet								
1.0000 01.10000000000000000000000000000						[]									
Given Name	Douglas	}	Mid Initi		R.		Family Name	Sm	iith					Suffix e.g. Jr.	
Inventor Signatur					•					Date					
Residen	ce: City	Mountain View		Stat	e	CA	Count	ry	USA			Citiz	Citizenship USA		
Mailing	Address	1875 Appletree Lane	;												
Mailing	Address							,							
City I	Mountain	View		Sta	ite	CA	Zip	94	040	(Country USA				
Name	of Addit	tional Joint Inventor	r, if a	ny:	T	[]	A petition	on ha	as been i	filed for	this 1	unsig	ned inv	entor	
Given Name	Junbo		Mid Initi				Family Name	Lit	u					Suffix e.g. Jr.	
Inventor Signatur				,						Date				-	
Residen	ce: City	Santa Clara		. Stat	е	CA	Count	ry	USA			Citiz	zenship	Chin	a
Mailing	Address	76 Arcadia					***		-						
Mailing	Address														,_,,,,,
City Santa Clara State C					CA	Zip	95	051	Country USA						
Name	of Addit	tional Joint Invento	r, if a	ıny:		[]	A petitie	on ha	as been	filed for	this	unsig	ned inv		
Given Name			Mid Initi				Family Name							Suffix e.g. Jr.	
Inventor Signatur										Date					
Residen	ce: City			Stat	:e		Coun	try				Citiz	zenship	·	
Mailing	Address														
Mailing	Address							-							
City				Sta	ate		Zip			(Count	try			
Name	of Addi	tional Joint Invento				[]	A petiti	on h	as been	filed for	r this	unsig	ned inv		
Given Name			Mid Initi				Family Name							Suffix e.g. Jr.	
Inventor										Date					
Residence: City State		te		Country			Citizenship								
Mailing	. 11	1									<u>-</u>				
	Address														
Mailing	Address Address														
City	; Address	ventors are being named o			ate		Zip				Coun	try			

ł